



浙江新龙旗机场设备有限公司
NEWRONGE ENTERPRISES COMPANY



机场类产品
For Airport Terminal

目录 contents

公司介绍	1
About Newronge	
隔离带栏杆	2
Crowd control barriers	
移动折叠围挡	16
Portable room dividers	
航显支架	20
Flight information displays	
标识牌	21
Signages	
功能柜台	23
Chek-in counters	
垃圾桶	24
Recycling bins	
安检设施	33
Security facilities	
行李秤	37
Luggage scales	
休闲座椅	39
Loose furnitures	
电动运输车	43
Electric transport vehicles	
航站楼附属设施	46
Terminal ancillary facilities	

About Newronge 公司简介 >>

浙江新龙旗创立于1998年，是国内专业设计、制造、销售机场设备设施的知名厂家，产品包括伸缩隔离带、排队柱、票亭、柜台、航显支架、灯箱、垃圾桶、座椅、行李寄存柜、安检设施等。

国内主要用户有北京大兴国际机场、北京首都国际机场、上海浦东国际机场、上海虹桥国际机场、广州白云国际机场、深圳宝安国际机场、香港国际机场、成都天府国际机场、成都双流国际机场、西安咸阳国际机场、昆明长水国际机场、沈阳桃仙国际机场、哈尔滨太平国际机场、合肥新桥国际机场、南京禄口国际机场、天津滨海国际机场、南昌昌北国际机场、济南遥墙国际机场、青岛胶东国际机场、杭州萧山国际机场等30多座大型机场和中国国际航空公司、中国东方航空公司、浙江长龙航空公司等航空公司，以及杭州地铁、宁波地铁、苏州地铁、武汉地铁等多家地铁公司。


我们的国际市场主要在德国、法国、美国、澳大利亚等国家和地区，产品严格按照欧美标准生产。

新龙旗致力于开发全世界范围的客户，旨在建立战略合作伙伴关系。为了促进销售增长，我们坚持价值革新以期达到我们共同的目标，突出的客户服务对我们非常重要，并且保证我们将竭尽全力满足客户的要求。

Newronge was established in 1998, specializes in manufacturing products for airport & metro station industry. We are a leading manufacturer in designing and manufacturing of quality metal products in China, including the crowd control barriers, fence, check-in counters, flight information displays, light boxes, recycling bins, seats, fence, baggage deposit point security facilities, etc.

Valued customer including Beijing Daxing International Airport, Beijing Capital International Airport, Shanghai Pudong International Airport, Guangzhou Baiyun International Airport, Shenzhen Bao'an International Airport, Hong Kong International Airport, Chengdu Tianfu International Airport, Chengdu Shuangliu International Airport, Xi'an Xianyang International Airport, Kunming Changshui International Airport, Shenyang Taoyuan International Airport, Hefei Xinqiao International Airport, Nanjing Lukou International Airport, Tianjin Binhai International Airport, Nanchang Changbei International Airport, Jinan International Airport, Hangzhou Xiaoshan Airport and China International Airlines, China Eastern Airlines, Zhejiang Longjiang Airlines and other airlines, as well as Hangzhou Metro, Ningbo Metro, Suzhou Metro, Wuhan Metro and many other metro companies. Also export to Germany, France, the United States, Australia and other countries.


Newronge is committed to developing worldwide customers, aimed at the establishment of strategic cooperative partnership. In order to promote sales growth, we adhere to the value of innovation to achieve our common goal, and our outstanding service for customers is very important to ensure that we will make every effort to meet customer requirements.




智能栏杆系统在“隔离栏杆”队列基础上增加智能化组件，系统可以持续、实时、全面地了解整个服务区的情况以及可用资源，避免乘客之间的闲置时间，提高服务质量，推动卓越运营。

Smart Airport Passenger Management System by incorporating intelligent components into the crowd control barriers, the system can prevent passenger idle time, enhance service quality, and foster operational excellence by continuously, in real-time, and comprehensively understanding the state and resources of the entire service area.


1) 客流计数 Passenger counts



2) 智能队列 Smart queue



3) 呼叫系统 Calling system





NPG-6BS

这是我们伸缩带排队管理系列产品中最受数迎的款式之一，很多尊贵的客户使用它，其中包括广州白云国际机场

产品特点

- ◆高度：970毫米
- ◆底座直径：350mm.底座厚度：20mm
- ◆重量：12公斤
- ◆拉带长度：2.3米，宽度(可选):50mm/80mm
- ◆伸缩头减速装置，拉带缓慢回收，确保安全，延长弹簧使用寿命
- ◆拉带四方向连接
- ◆弹性拉带挂扣，紧急情况可以扯落；使用弹性材料的挂扣不易碎裂



NPG-6/CE
镀铬
Chrome



NPG-6/BE
蓝色
Blue
RAL5017



NPG-6/RD
红色
Red
RAL3002



NPG-6/BK
黑色
Black
NPG-6BS


- ◆ Height: 970 mm
- ◆ Base: diameter 350 mm, thickness 20 mm
- ◆ Weight: 12 kg
- ◆ Tape length: 2.3 m; widths: 50/60/80 mm
- ◆ Features a cassette with deceleration for safe, slow retraction and longer spring life.
- ◆ Tape can connect in four directions.
- ◆ Emergency-ready panic tape end is removable and elastic to avoid breaking.

U-Shaped with Roller

NPG-55.1-6

- ◆高度970mm
- ◆底座直径350mm,底座厚度25mm
- ◆拉带长度2300mm,宽度60mm
- ◆伸缩器减速装置,拉带缓慢回收,确保安全,延长弹簧使用寿命
- ◆弹性拉带挂扣,紧急情况可以扯落,使用弹性材料的挂扣不易碎裂
- ◆U型带滚轮底座,方便移动,堆叠存放

- ◆ Height: 970 mm
- ◆ Base weight diameter: 350 mm and thickness: 25 mm
- ◆ Belt length: 2300 mm and width: 60 mm
- ◆ A cassette with a deceleration device ensures safe tape retraction also extending the spring's lifespan
- ◆ The panic tape end can be removed in an emergency and is made of elastic material to avoid breakage
- ◆ U-shaped base with rollers for convenient mobility and stackability




360 Rotating

NPG-65.1-8X

- ◆高度970mm
- ◆底座直径360mm，底座厚度15mm，锥形边缘8mm
- ◆拉带长度2300mm，宽度60mm
- ◆伸缩器减速装置，拉带缓慢回收，确保安全，延长弹簧使用寿命
- ◆360度旋转头，拉带可在任意方向拉出和挂扣，便于拉带改变不同方向隔离，杜绝拉带缠绕
- ◆弹性拉带挂扣，紧急情况可以扯落，使用弹性材料的挂扣不易碎裂

- ◆ Height: 970 mm
- ◆ Base weight diameter: 360 mm and thickness: 15 mm
- ◆ Tape length: 2300mm and width: 80mm
- ◆ A cassette with a deceleration device ensures slow tape retraction for safety and extends the lifespan of the spring
- ◆ The 360 rotating cassette allows the tape to be pulled out and hooked in any direction, making it easier to change the tape direction and avoid tangling
- ◆ The panic tape end can be removed in an emergency and is made of elastic material to avoid breakage



◆360旋转头
360 Rotating Cassette

磁吸底盘栏杆

- ◆采用304拉丝不锈钢
- ◆底盘直径仅200mm，高度13mm，因底盘小而薄，现场简洁美观且占用空间小，使旅客通行更顺畅
- ◆底盘内部配置强力磁铁，磁吸底座的吸力大于15KG
- ◆地面仅需安装磁吸连接固定片，使用专用胶与地板粘合，不易脱落且可随时铲除，不破坏地面
- ◆栏杆固定于地面后，排列整齐不易变形



Magnetic Barrier Post

- ◆ Crafted from 304 brushed stainless steel, the base has a compact profile of 200 mm in diameter and 13 mm in height. Its slim, low-profile design saves space, enhances passenger flow, and maintains a clean, aesthetic environment.
- ◆ Equipped with powerful magnets offering over 15 kg of tilting resistance, the base stays securely in place. Installation requires only magnetic fixing plates adhered to the floor with specialized glue, which holds firmly yet allows easy removal without damage.
- ◆ Once installed, the barrier remains neatly aligned and resistant to deformation.

安装于底盘中的磁铁



固定于地板的钢片



超小超薄底座

磁吸底盘


插拔式软隔离

- ◆ 1.栏杆总高1020毫米;
- ◆ 2.栏杆立柱采用304拉丝不锈钢圆管, 直径63毫米, 壁厚1.2毫米。
- ◆ 3.地板预埋金属安装件 (开孔直径不大于100毫米, 深度不大于150毫米, 安装件固定于地板开孔内), 立柱与地板通过安装件连接固定。
- ◆ 4.立柱可插拔安装, 拆除不使用时, 原预埋件位置, 可安装不锈钢装饰盖遮盖。



Plug-in Barrier Post

1. Height: 1020 mm
2. Material: 304 brushed stainless steel tube, Ø63 mm, tube thickness 1.2 mm
3. Installation: Plug-in design with floor-embedded metal fitting (hole ≤ 100 mm dia., ≤ 150 mm depth)
4. Securely connects post to floor; can be easily inserted or removed
5. Cover: When not in use, a stainless steel decorative cover can be placed over the embedded fitting for a clean look





礼宾栏杆

以下是礼宾杆的主要作用：

- ◆ 提升形象：大型机场及高档酒店会使用装饰性的礼宾栏杆来提升整体形象和专业度，给旅客留下深刻印象。
- ◆ 挂置物品：礼宾栏杆有时也会用于挂置物品，如在酒店前台，可能会挂上客人的房间号码牌以便于行李寄存。

综上所述，礼宾杆在各种场合中扮演着重要的角色，无论是功能性还是装饰性，都不可小觑。

Stanchion post:

- ◆ Enhances Image: Used in airports and upscale hotels to boost visual appeal and professionalism.
- ◆ Holding Items: Practical for hanging tags or signs, such as room numbers at hotel front desks.

In summary, stanchions provide both decorative and functional value in various settings.




个性化栏杆——长条型

长条型个性化栏杆不仅可以安全地控制人群的流动，并且可以同时与他们进行交流。长条型的设计理念是在提供市场上与众不同的不曾拥有的独特设计，并且让大众通过该设计与公司形象进行了解，例如品牌，照片，照片，迹象，促销，活动，这只是新型的隔离带栏杆可以提供的一些服务。它具有优雅，迷你和未来派的设计，使您可以自定义尺寸以及带有企业文化的各种组件，使其非常适合您的环境，一次性向市场传达不同的信息。带有原始和运动设计的个性化栏杆，可以让您自定义中央面板，包括其中颜色，徽标，消息等。

Our personalized barrier post not only ensures safe crowd control but also serves as an effective communication platform. Its sleek, elongated design highlights branding, images, promotions, and events—transforming barrier posts into marketing tools.

Compact, elegant, and futuristic, the system allows full customization of size, color, logos, and messages, making it the perfect fit for any environment while delivering strong visual impact.






360 Wall-Mounted

1. Smooth and flat surface, free from burrs or sharp edges, safe to touch.
2. Post made of 304 steel tube with powder coating, firmly connected to the U-bracket.
3. Retractable belt unit built inside the post, allowing 360 rotation and extension in any direction.
4. Spring made of SUS304 stainless steel, fatigue-resistant for over 20,000 cycles.
5. Belt made of high-strength polyester herringbone webbing, 0.7mm thick, durable, non-deforming, and colorfast.

360挂墙式软隔离

1. 由立柱、U型支架、挂扣和拉带伸缩器组成。
2. 整体表面平整光滑，无凹凸和毛刺，手感安全。
3. 立柱采用45号钢管，表面静电喷塑处理，与U型支架连接牢固可靠。
4. 拉带伸缩器内置于立柱，可实现360旋转，拉带可向任意方向延伸。
5. 卷簧为SUS304不锈钢，耐疲劳性能20,000次。
6. 拉带为高强度涤纶人字纹带，厚度0.7mm，耐用不变形、不褪色。




移动隔离桩

- ◆外型尺寸：400*400*1100mm
- ◆主体采用金属材料制作，表面高温静电喷塑
- ◆弧形底座，落地平稳，2个脚轮方便推行移动
- ◆配备4个可旋转的拉带头，满足不同方位灵活使用，同时实现多个方向双层隔离
- ◆采用5CM宽度拉带，单个拉出长度不少于5M
- ◆设备需配置顶部R50圆弧形防护架等安全装置

Mobile Barrier Post

1. Dimensions: 400 x 400 x 1100 mm
2. Main body made of metal with powder coating
3. Curved base for stable placement; equipped with two casters for easy mobility
4. Fitted with four rotatable belt heads, allowing flexible use in different directions and enabling dual-layer isolation from multiple angles
5. Equipped with 50 mm wide belts, each extending up to 5 m
6. Includes a top R50 arc-shaped protective frame and other safety features





广州白云国际机场
Guangzhou Baiyun International Airport



上海浦东国际机场
Shanghai Pudong International Airport



南宁吴圩国际机场
Nanning Wuxu International Airport




杭州地铁站
Hangzhou Subway Station



中国检验检疫入境通道

- ◆NPG-40是我司开发的新款隔离栏杆产品，整套产品有推拉门，伸缩隔离带等多功能组合产品可拆装，功能任意组合，摆放位置随意变化。
- ◆整套组合中多数栏杆选用双层不锈钢方管代替布质拉带，隔离效果更佳，视觉效果更整齐。



隔离区转角图 Comer view



推拉门组合图 Combination view



伸缩带组合图 Retractable belt view

硬隔离 (带灯光)

- ◆横杆: 100*50mm椭圆管 厚度不小于1.5mm
- ◆立柱: 100*50mm椭圆管 厚度不小于2.5mm
- ◆灯槽 尺寸15*15mm或20*20mm可选
- ◆嵌入式安装LED灯带 (美观、安全、可靠)


Barrier Post with Bar

Crossbar: 100x50 mm oval tube, thickness 1.5 mm

Post: 100x50 mm oval tube, thickness 2.5 mm

Light Slot: Size options 15x15 mm or 20x20 mm


Lighting: Embedded LED light strip (aesthetic, safe, and reliable)



上盖可拆装 (螺纹连接固定)
按图示红色虚线接线 (隐藏式电源线)



双层硬隔离 (带灯光)



拆装式隔断

不锈钢主框架，白色PVC贴膜隔板(可选透明的磨砂塑料板),可黏贴提示标识内容或者其它图文写真、景观画册;搭建容易，灵活自由组合; 组装后稳定性好，隔离效果佳。

Stainless steel frame with PVC laminated panels
Panels can be customized with warning signs, graphics, photos. Easy to assemble with flexible and modular combinations. Strong stability after installation.



深圳宝安国际机场
Shenzhen Bao'an International Airport

横额式拆装围挡

- ◆不锈钢管制成的框架
- ◆中间为牛津布料，可印刷图文标识


- ◆Made of stainless steel
- ◆The panel is made of oxford fabric, which can be printed with graphics and logos.



上海浦东国际机场——场景图
Shanghai Pudong International Airport

施工围挡 Construction Fence

- ◆ 不锈钢管制成的框架
- ◆ 中间为牛津布料，可印刷图文标识
- ◆ Made of stainless steel
- ◆ The panel is made of oxford fabric, which can be printed with graphics and logos.





摄于北京大兴国际机场

- ◆安全SAFETY
- ◆可移动的REMOVABLE
- ◆便携的PORTABLE
- ◆稳固性强STABLE
- ◆私密性PRIVACY

移动折叠围挡有一个坚固的钢制龙骨框架，万向轮的设计使其便于移动，踩下脚轮上方的刹车，便可将围挡固定到想要的位置，并可以在学校、机场、公司、酒店或任何地方创建新的独立空间。

Portable room dividers are built with a sturdy steel frame and easy-rolling casters for maximum mobility. Simply step on the foot brake to lock them securely in place, allowing you to quickly create private or designated areas in offices, schools, event spaces, and more.



摄于南京禄口国际机场



以横向或纵向方式安装显示屏——
使用网络配置工具制定您的解决方案

NFID-020



NFID-037



NFID-016



FID-015



NSG-023



NSG-022


电流、面板、技术相互适应灵活的力学概念多种显示亮度级别



920*500*2020mm



NSG-025



NSG-038



新型立牌

落地标识牌 free standing poster stand

优质不锈钢板制作而成，具有高度稳定性；底座可加脚轮，便于移动；占地面积小，节省空间；辨识度高，帮助旅客指明方向

Crafted from stainless steel for superior stability, the base can be fitted with casters to enable easy movement. Its compact design minimizes the footprint while remaining highly visible to effectively guide passenger flow.



NCI-001



NCI-003



NCI-002



NCI-004



跟街头、商场、饭店等场所不同，机场长期处于繁忙状态，旅客来去匆匆，垃圾桶必须容量庞大、数量众多，分布密集，以便让时间紧迫的旅客们随时随地丢弃垃圾。同时，机场庞大而集中的客流，会大大提高垃圾桶的使用频率。因此，我们需要选用结实耐用的垃圾桶来保证降低日常维护成本，延长使用寿命

Airports are always busy with high passenger flow. This requires large, durable, and densely placed recycling bins that can handle frequent use, reduce maintenance costs, and ensure convenient waste disposal for travelers.



◆ 1600*400*890mm

◆深圳宝安国际机场



◆传统不锈钢拉丝的垃圾桶外表面过于生硬，产品缺少温度，采用花纹板通过色彩搭配，加强产品的视觉感染力，提升了产品的亮度与艺术感。

◆Traditional brushed stainless steel recycling bins tend to look cold and uninviting. By using patterned panels and incorporating color combinations, the visual appeal, brightness, and artistic quality of the product are greatly enhanced.



NDA09-3
1200x400x870mm



NDA15-3
1080x430x890mm


NDA08.a-4
1920x480x900mm

◆北京首都国际机场



◆北京大兴国际机场

NDA13.a-4
1600x450x950mm



NDA01-4
1600x400x850mm

◆上海浦东国际机场/上海虹桥国际机场/南京禄口国际机场/成都天府国际机场等多家机场采用，产品使用效率卓越，技术成熟，模块化配件，深受各大机场认可。

NDA01-3
1250x400x920mm





◆ 900x430x820mm

- ◆将城市元素与垃圾桶造型相结合，满足使用需求的同时，能更好的体现产品的层次感
- ◆Integrating urban elements into the aesthetics of recycling bin design.



◆ 1400*350*750mm

- ◆在产品过程中结合使用需求，有害垃圾量少，所以将灭火器与有害垃圾组合使用一个桶身，充分利用空间，现场也更美观
- ◆Incorporating user needs into the product design process — such as integrating fire extinguishers and sanitizing devices — to make optimal use of space.



◆ 五分类垃圾桶



◆ 1500 X 400 X 900 mm



垃圾桶使我们的生活环境维持干净整洁，垃圾桶的造型也有百种千种，社会在进步的同时，垃圾桶也在不断升级。



贵宾室大理石垃圾桶
NDA-86
320X320X840mm



贵宾室玫瑰金大理石垃圾桶
NDA-251D
290X290X730mm



豪华大理石垃圾桶
NDA-188
600X300X740mm



豪华木纹石垃圾桶
NDA-185
250X250X740mm

现代机场对垃圾桶采购提出了更高的要求，外形美观大方，要同气派的航站楼装饰相协调；方便清理和维护；高辨识度，让旅客能短时间内找到垃圾桶；垃圾桶整体造型流畅光滑，没有锋利的接口和边角；避免对旅客和清洁工人造成伤害，内外桶不漏水，防止垃圾桶内的污水漏出来污染地面。



NDA-180
4320X700mm
4380X775mm



NDA-305
6250X600mm
φ305X650mm



NDA-356
460X320X830mm



NDA-395
450X290X810mm



DA-370
450X300X820mm

Recycling bins

垃圾桶 >>>

新龍旗



点烟器
尺寸可定制



NOD06-4
1400X550X2400mm



NDA-W07B
900*430*1000mm



NOD05-4
1150X420X9200mm



NOD03-4-20-TAO
1200X450X1000mm



吸烟亭NDA-237
61400X2600mm



吸烟台NDA-234
f600X1200mm



NDA-200
2000X2600mm

违禁物品集成柜

Forbidden Articles Recycling Center

- ◆集违禁物品展示，回收，行李整理、图文告示于一体
- ◆外形尺寸2000X615X1400mm
- ◆主框架采用厚度1.5mm的SUS304拉丝不锈钢板材制成
- ◆柜台面板和三个立面均采用进口人造石，石材厚度12mm，表面平整光洁，不渗色，不开裂，不变形；四周边角采用R60圆角处理
- ◆违禁品展示灯箱外部采用厚度8mm的钢化烤漆玻璃，实物展示支架简洁牢固，便于摆放实物样品，灯箱四周边角R30圆角处理
- ◆违禁品投放口下方有缓冲装置，避免打火机等物品直接坠落而可能引起的燃烧和爆炸降低物品直接坠落而发出的噪音；防止拾荒人员直接从投放口拾取打火机和饮料罐等物品
- ◆3MM加厚塑料内胆，一体成型不混水
- ◆A comprehensive station for the display, secure disposal, and management of forbidden items, complete with luggage organization features and clear visual notifications.
- ◆Dimensions: 2000mm (L) × 615mm (W) × 1400mm (H)
- ◆Frame Material: 1.5mm brushed SUS304 stainless steel
- ◆Surface Material: 12mm artificial stone, stain-resistant and durable with R60 rounded edges
- ◆Display Lightbox: 8mm tempered painted glass with reinforced sample holder, R30 rounded corners
- ◆Inner Container: 3mm seamless leak-proof plastic liner



◆昆明长水国际机场

违禁物品自弃箱
NAJ05-4



◆上海浦东国际机场

违禁物品自弃箱
NAJ09-4



◆北京大兴国际机场

液态物品自弃箱




◆违禁物品展示柜
Display of Forbidden Items



◆深圳宝安国际机场

打火机自弃箱
NAJ07-4
400x400x1100mm




我公司可按照机场要求
制作不同用途的工作台。




NAJ-XL01
1600*560*460mm




- ◆载重量: 100 kg
 - ◆显示屏: 7断单色LCD
 - ◆显示尺寸: 196x82mm
 - ◆电池: 6V24Ah铅酸电池
 - ◆固定尺寸行李检查框可消除尺寸争议 (尺寸可定制)
 - ◆后侧脚轮易于移动, 适应乘客流量变化
1. Load Capacity: 100 kg
 2. Display: 7-segment monochrome LCD
 3. Display Size: 196 × 82 mm
 4. Battery: 6V 24Ah lead-acid battery
 5. Fixed-size inspection frame
 6. Casters for easy mobility and adaptation to passenger flow changes



NAJ-XL03
1500*600*460mm




NAJ-XL04



行李秤+整理台
Luggage scales

LCD称重显示
显示屏：7断单色LCD
显示尺寸：196x82mm
2S显示稳定的重量

Display: 7-segment monochrome LCD
Display Size: 196 x 82 mm
Weight Reading Stabilization: 2 seconds



整理台Packing table
台面材质可选，内置30*30*2mm镀锌方管骨架
1) 12mm白色人造石
2) 1.5mm304拉丝不锈钢


Internal Frame: 30x30x2mm steel tube
Optional Tabletop Material:
1) 12 mm white artificial stone
2) 1.5 mm 304 brushed stainless steel




◆ 旅客过夜休息区
guest overnight lounge

◆为提升旅客良好的旅行体验，我们为旅客定制特色休息区，利用有限的空间提升客户满意度。

◆To enhance the travel experience, we offer customized lounge areas designed to maximize passenger comfort and satisfaction within limited space.



◆商务洽谈区



◆旅客过夜服务区 **guest overnight lounge**



As a key aspect of the air travel experience, airport overnight services are important from passengers. In recent years, our company has focused on elevating civil aviation service quality by investing in design and production to enhance these offerings. Through a series of innovations—from pleasant rest environments to convenient amenities—we ensure that passengers enjoy a secure and comfortable stay at the airport.



作为航空出行的重要服务体验，机场过夜服务一直是许多旅客关注的重点。近年来，我司关注民航服务质量，加大设计生产投入力度，进一步优化旅客机场过夜服务。从宜人的休息环境到便捷的服务设施，一系列创新举措的出台，使旅客在机场过夜也能获得安心、舒适的服务体验。

◆商务休息区





机场航站楼面积大、区域分散，人流量大，日常的垃圾清运、行李运输、货物运输以及特殊旅客服务都是关键需求。在航站楼内部署“助动车”，通过模块化设计连接不同设备（如环卫垃圾桶、专用车厢、行李推车、轮椅车等），可以减少人力成本，提升运营效率和服务质量。

Airport terminals are characterized by extensive layout, decentralized zones, and high passenger flow. Key operational needs include daily waste removal, baggage and cargo transportation, as well as services for passengers with reduced mobility. Our multi-functional utility vehicles address these challenges through a modular design that enables the attachment of various equipment—such as recycling bins, dedicated cargo containers, luggage trolleys, and wheelchairs. This integrated approach reduces reliance on manual labor, while enhancing operational efficiency and service quality.



450L垃圾收集车




660L环卫垃圾桶



800L垃圾清运车



轮椅拖运



货物拖运



行李手推车拖运



◆助动车

- ◇车辆尺寸紧凑设计，适合在航站楼的狭窄通道、电梯等场所通行。
Compact size for easy access in narrow spaces.
- ◇操控简便，通过一个手柄就可以控制前进、转弯和倒退。
Single-handle control for intuitive operation.
- ◇配置高性能电机和电池，可实现持久运行。
High-performance motor & battery for extended runtime.
- ◇多功能连接机构，方便工作人员快速切换功能模块。
Quick-swap modular attachments.
- ◇全方位警示灯，使驶更安全。
360 warning lights for enhanced safety.



◆ 牵引式电动运输车 Electric transport vehicle

该牵引车的设计使驾驶者所有的操作均处于驾驶舱内，充分保护其安全。人性化设计的手柄左/右手单手即可操作，带手部保护，保证安全。操作舒适、安全，该系列车型标配护膝垫。

Designed with a fully enclosed cabin to ensure all operations are performed safely inside. The ergonomic handle enables intuitive left- or right-handed control with integrated hand protection. Built for comfort and safety, the series comes standard with knee pads for enhanced driver security.



◆ 一体式电动运输车 Integrated electric transport vehicle

◆ 外形尺寸3.0X1.4X1.9米 (长X宽X高)

Dimensions: 3.0 × 1.4 × 1.9 m

◆ 车头弧形造型，敞篷式驾驶室，双人位，长度1.2-1.3米 (包含车头与座椅在内)

Front & Cab: Curved front design, open-roof dual-seat cab, total length 1.2~1.3 m

◆ 封闭车箱：采用铝合金材质，四周圆角边，车厢底盘离地15-20cm

Enclosed Cargo Box: Aluminum alloy construction with rounded edges, ground clearance 15~20 cm

◆ 开门方式：双开门

Door Type: double doors

◆ 充气轮胎，直径小于45CM

Tires: Pneumatic tires, diameter < 45 cm

◆ 采用铅酸电池

Battery: Lead-acid

◆ 加装闪光警示灯，行车记录仪

Safety: Flashing warning light, dash cam

◆ 承重1T

Max Load Capacity: 1 ton



◆ 德国进口电动运输车 Electric transport vehicle

◆ 外形尺寸Dimensions: 1400X760X1270mm (长*宽*高)

◆ 最大行驶速度Max Speed: 6km/h

◆ 铅酸电池Battery: 4 X 6V/180Ah

◆ 电机Motor: 1000W/24V DC

◆ 重量Weight: 380kg

◆ 内置充电器Built-in Charger: 24 V / 30 A,

◆ 充电电压Charging Voltage: 220V

◆ 三轮概念Three-Wheel Design

◆ 手柄式把手，可实现前进或后退变速操控，站立式驾驶 内置制动器、差速变速器

◆ Handlebar Control: Forward/reverse speed adjustment, stand-on operation, Integrated Systems: Brake, differential transmission

◆ 全方位警示灯、紧急停车开关、喇叭、钥匙开关 可遥控器控制

◆ Safety: 360° warning light, emergency stop switch, horn, key switch Remote Control Operation Supported





◆ 电动轮椅车
Electric Wheelchair

一、安全性 Safety

驾驶员位于旅客后方，全程直视看护，保障乘客安全

每台轮椅均配备双扶手及安全带，稳固舒适

实心车轮设计，杜绝爆胎风险

后轮双侧装有防倾斜辅助轮，上下坡更平稳，确保旅客安全

Operator stands behind the passenger for clear visibility and supervision

Equipped with dual armrests and a safety belt

Features solid wheels to prevent punctures

Anti-tip wheels on the rear ensure stability on slopes

二、便捷性 Convenience

踏板低至离地10cm，行动不便旅客可轻松就座后再移脚，上下车更省力

车身宽度仅需80cm通道，可顺畅通过检疫、探测门及电梯，支持360°原地转向

单柄集成操控，轻松实现前进、转向与后退

可选配行李挂架，方便运输旅客随身行李

Low step (10 cm height) for easy seating

Compact design (80 cm width) allows access through gates and elevators with 360° turning

Effortless single-handle control for forward, reverse, and steering

Optional luggage rack available for carry-on items

三、高效与经济性 Efficiency

推送效率较人工提升5倍以上，显著降低地服人员劳动强度

往返速度更快，减少旅客等待时间，尤其保障急转机旅客需求

一车仅需一名驾驶员，大幅节约人力成本，助力机场降本增效

5x more efficient than manual operation, reducing staff workload

Enables faster transfers, ideal for passengers with tight connections

Requires only one operator, lowering labor costs



不锈钢花盆
Stainless Steel Flower Pot



接水桶
Artistic Trash



新龙旗接水桶效果图



其他接水桶效果图



我们选用塑料花编桶,上面布置仿真植物,及解决滴水,又可作为装饰品。

◆ 接漏伞 Drip Collection Umbrella

- ◆ 1.伞体部分展开的尺寸是1x1米，布料采用高质量防水布，防水、耐腐蚀、质地轻盈
- ◆ 2.伞架高度可升降调节，上升后总高度可达4米，将伞体固定在天花板或屋顶，伞架之间连接牢固美观
- ◆ 3.铝制支架固定，像雨伞一样展开，在保证强度的情况下减少支架重量，整体美观
- ◆ 4.底座采用铝制板材制作，底部带刹车的万向轮，便于搬运移动
- ◆ 5.底座内可收纳水桶、伞体、支架，最大化利用空间
- ◆ 6.底座带有防漏水底，防止液体污染地面
- ◆ 7.表面可按要求印刷机场logo
- ◆ Canopy: 1x1 m size. High-quality waterproof, lightweight, and corrosion-resistant fabric.
- ◆ Adjustable Height: Extends up to 4 m. Securely mounts to ceilings or roofs.
- ◆ Aluminum Frame: Lightweight and sturdy umbrella-style opening mechanism.
- ◆ Mobile Base: Aluminum base with locking casters for easy mobility.
- ◆ Built-in Storage: Stores canopy, frame, and bucket efficiently.
- ◆ Leak-Proof Tray: Prevents liquid spills and protects floors.
- ◆ Custom Printing: Airport logo available on request.



◆济南遥墙国际机场

充电台
NCD03
2550x550x1150mm




◆杭州萧山国际机场

移动充电桩
NCD04
1000x500x1500mm



◆厦门高崎国际机场

Charging Station
NCD05
3200*960*1150mm, 台面高度1000mm



◆厦门高崎国际机场

Mobile Charging Station
NCD06
1000*550*1800mm



◆轮椅车架

产品介绍:

1) 每组轮椅车架设置3个残疾人轮椅车位, 外形 尺寸不小于 1200x1000x2000mm (长*宽*高)。

Holds 3 wheelchairs per unit; dimensions $\geq 1200 \times 1000 \times 2000$ mm

2) 轮椅车架造型设计新颖, 实用、美观, 与航站楼建筑、装修风格匹配。

Modern design, practical and aesthetically compatible with terminal style

3) 轮椅车架采用不锈钢板与木板制作, 符合国家环保标准。

Made of stainless steel and eco-friendly wood, meeting national environmental standards

4) 轮椅车架底板采用斜坡设计, 方便推入轮椅车, 底板设置阻挡条, 防止轮椅车滑出。

Sloped entry panel with anti-roll bar for easy and secure wheelchair loading

5) 轮椅车架边角采用圆弧设计, 避免人员磕碰。

Rounded edges for user safety

6) 配置告示背板, 钢板制作, 表面高温静电喷塑着色, 正表面贴“背胶可移车贴”图文清晰不掉色。

Includes a notice board made of steel with heat-bonded electrostatic coating; surface graphics are clear, durable, and removable



大型手推车

- ◆车体材料：高强度6063-T5铝合金，立柱壁厚 $\geq 2\text{mm}$ ，车体底盘壁厚 $\geq 5\text{mm}$ 。
- ◆车筐材料：不锈钢304圆钢。
- ◆整车尺寸：长度为： $\geq 1000\text{mm}$ ，前宽为： $\geq 400\text{mm}$ ，后宽为： $\geq 670\text{mm}$ ，高度为： $\geq 1040\text{mm}$ 。



小型手推车

- ◆车体材质：不锈钢304，厚度 $\geq 2\text{mm}$ 。
- ◆车筐材质：采用304不锈钢圆钢。
- ◆整车尺寸：长度为： $\geq 715\text{mm}$ ，前宽为： $\geq 315\text{mm}$ ，后宽为： $\geq 520\text{mm}$ ，高度为： $\geq 1000\text{mm}$ 。

◆西安咸阳国际机场

手推车收集器

NSB04

900x650x1900mm




◆济南遥墙国际机场

手推车支架

NSB03

立牌:

300x300x3000mm



◆杭州萧山国际机场

手推车收集器

NSB02

1750x850x1550mm





浙江·德清·莫干山高新区长虹西街188号7号楼

Building 7, No. 188, Changhong West Street, Moganshan High-tech Zone, Deqing, Zhejiang

电话(Tel): +86 572 8028000

传真(Fax): +86 572 8026999

www.newronge.com

info@newronge.com